

MULTITEL

MZ250


Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	1	EMISSIONE	17/01/19	A.G.		
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

D65839

P.T.T.=3500 kg
 G.V.W.=3500 kg
 P.T.A.C.=3500 kg
 GES. GEWICHT=3500 kg

STABILIZZATORI IN SAGOMA
 STRAIGHT LINE STABILIZERS
 STABILISATEURS EN GABARIT
 STÜTZEN INNERHALB DER FAHRZEUGBREITE

	250Kg	80Kg
SBRACCIO DI LAVORO	7.00 m ±5%	11.25 m ±5%
WORKING OUTREACH	7.00 m ±5%	11.25 m ±5%
DEPORT DE TRAVAIL	7.00 m ±5%	11.25 m ±5%
SEITLICHE REICHWEITE	7.00 m ±5%	11.25 m ±5%



MULTITEL MZ250


Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	1	EMISSIONE	17/01/19	A.G.		
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

D65840

P.T.T.=3500 kg
G.V.W.=3500 kg
P.T.A.C.=3500 kg
GES. GEWICHT=3500 kg

STABILIZZATORI IN SAGOMA
STRAIGHT LINE STABILIZERS
STABILISATEURS EN GABARIT
STÜTZEN INNERHALB DER FAHRZEUGBREITE

	250Kg	80Kg
SBRACCIO DI LAVORO	9.05 m ±5%	13.05 m ±5%
WORKING OUTREACH	9.05 m ±5%	13.05 m ±5%
DEPORT DE TRAVAIL	9.05 m ±5%	13.05 m ±5%
SEITLICHE REICHWEITE	9.05 m ±5%	13.05 m ±5%



MULTITEL MZ250


Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	1	EMISSIONE	17/01/19	A.G.		
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

D65837

P.T.T.=3500 kg
G.V.W.=3500 kg
P.T.A.C.=3500 kg
GES. GEWICHT=3500 kg

STABILIZZATORI COMPLETAMENTE ESTESI
FULLY EXTENDED STABILIZERS
STABILISATEURS COMPLETEMENT ETENDUS
GANZ AUSGEFAHRENE STÜTZEN

	250Kg	80Kg
SBRACCIO DI LAVORO	10.35 m ±5%	14.35 m ±5%
WORKING OUTREACH	10.35 m ±5%	14.35 m ±5%
DEPORT DE TRAVAIL	10.35 m ±5%	14.35 m ±5%
SEITLICHE REICHWEITE	10.35 m ±5%	14.35 m ±5%



MULTITEL MZ250

Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	1	EMISSIONE	17/01/19	A.G.		
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

D65838

P.T.T.=3500 kg
G.V.W.=3500 kg
P.T.A.C.=3500 kg
GES. GEWICHT=3500 kg

STABILIZZATORI COMPLETAMENTE ESTESI
FULLY EXTENDED STABILIZERS
STABILISATEURS COMPLETEMENT ETENDUS
GANZ AUSGEFAHRENE STÜTZEN

	250Kg	80Kg
SBRACCIO DI LAVORO	10.35 m ±5%	14.35 m ±5%
WORKING OUTREACH	10.35 m ±5%	14.35 m ±5%
DEPORT DE TRAVAIL	10.35 m ±5%	14.35 m ±5%
SEITLICHE REICHWEITE	10.35 m ±5%	14.35 m ±5%

